

WHAT IS CLAIMED IS:

- 1 1. A device comprising:
2 a housing; and
3 a visual display on said housing..
- 1 2. An analyte measurement device comprising:
2 a housing;
3 a visual display on said housing, said visual display having at lease one
4 visual indicator position next to a corresponding marking on the housing; and
5 a processor driving the visual display, wherein the processor runs software
6 that is modifiable to provide a variable user interface on the visual display.
- 1 3. An analyte monitoring device comprising:
2 a housing;
3 a visual display on said housing, said visual display having at lease one
4 visual indicator position next to a corresponding marking on the housing;
5 a processor driving the visual display, wherein the processor runs software
6 that is modifiable to provide a variable user interface on the visual display; and
7 a wireless communication device allowing programs to be downloaded to
8 the processor by wireless communications.
- 1 4. A skin penetrating system, comprising:
2 a housing;
3 a penetrating members positioned in the housing,
4 an analyte detecting member coupled to a sample chamber, the analyte
5 detecting member being configured to determine a concentration of an analyte in a body
6 fluid using a sample of less than 1 μ L of a body fluid disposed in the sample chamber;
7 a visual display on said housing, said visual display having a screen saver
8 which is activated after a preset period of nonuse by a user; and
9 a processor driving the visual display, wherein the processor runs software
10 that is modifiable to provide a variable user interface on the visual display;

11 a wireless communication device allowing programs to be downloaded to
12 the processor by wireless communications.

1 5. A tissue penetrating system, comprising:
2 a housing;
3 a penetrating members positioned in the housing,
4 a visual display on said housing, said visual display having at lease one
5 visual indicator position next to a corresponding marking on the housing;
6 a processor driving the visual display, wherein the processor runs software
7 that is modifiable to provide a variable user interface on the visual display;
8 a series of buttons on said housing for changing lancing settings shown on
9 the visual display.

1 6. A method comprising:
2 providing an analyte monitor;
3 downloading software to the monitor wherein the software contains a
4 selected user interface.

1 7. The method of claim 6 wherein said analyte monitor is a hand held
2 device.

1 8. A method comprising:
2 providing an analyte monitor;
3 answering a plurality of questions shown on a display on the analyte
4 monitor,
5 using a processor to analyze response to said questions; and
6 downloading a program containing a user interface selected by the server
7 based on said responses, said user interface selected based on the appropriate user
8 interface class.

1 9. The method of claim 8 wherein at least one of said questions is a
2 personality test question.

1 10. The method of claim 8 wherein answers from the user are
2 transmitted to a server for analysis.

- 1 11. The method of claim 8 wherein answers from the user are
2 transmitted by a wireless transmitter to a server for analysis.
- 1 12. The method of claim 8 wherein the monitor uses one of the
2 following protocols to transmit data out of the monitor: 802.11b, Bluetooth, infrared, or
3 1394 IEEE protocol.
- 1 13. The method of any claim above wherein updates are automatically
2 downloaded to the device after a certain period of time.
- 1 14. The method of any claim above wherein a user enters a code to
2 determine the type of user interface to be displayed on the monitor.
- 1 15. The method of any claim above wherein the monitor includes a
2 keyboard on a housing of the monitor.
- 1 16. The method of any claim above wherein the monitor includes
2 upgrading the user interface to a new one matching or suited for the users age after a set
3 period of time, yearly, or on the users birthday.
- 1 17. The method of any claim above wherein the monitor alerts the user
2 after a certain number of missed testing events.
- 1 18. The method of any claim above wherein the monitor alerts the user
2 after a certain number of missed testing events using one the following: audio alerts,
3 visual alerts, vibratory alerts, or email alters to your email account or that of a third party
4 such as a doctor or family member.
- 1 19. The method of any claim above wherein the monitor will email the
2 result to an email account with software that tracks a users testing history and/or glucose
3 readings.
- 1 20. A method comprising:
2 providing an analyte monitor;
3 answering a plurality of questions displayed by the analyte monitor,
4 loading response to said questions to a server;

5 downloading a program that changes the functionality of the monitor and
6 is selected by the server based on said responses.